

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
1	4613	nishikawa-m\$.in.	USPAT; US-P PUB; EP ; JPO; DERWENT; IBM_TDB	2003/01/02 11:36
2	5	nishikawa-m\$.in. and "battery frame"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 12:23
3	3	6085854.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 11:42
4	1	6085854.pn. and (metal or metallic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 11:49
5	0	6085854.pn. and stack\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 11:57
6	0	5806948.pn. and stack\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 11:57
7	13	((("3664877") or ("4020244") or ("4113926") or ("4317497") or ("4957829") or ("5140744") or ("5663008") or ("5665486") or ("5667908") or ("5766801") or ("5806948") or ("5981101") or ("6085854")).PN.	USPAT; US-PGPUB	2003/01/02 12:08
8	209575	"13" and stack\$4	USPAT; US-PGPUB	2003/01/02 12:08
9	7	((("3664877") or ("4020244") or ("4113926") or ("4317497") or ("4957829") or ("5140744") or ("5663008") or ("5665486") or ("5667908") or ("5766801") or ("5806948") or ("5981101") or ("6085854")).PN.) and stack\$4	USPAT; US-PGPUB	2003/01/02 12:09
10	5	((("3664877") or ("4020244") or ("4113926") or ("4317497") or ("4957829") or ("5140744") or ("5663008") or ("5665486") or ("5667908") or ("5766801") r ("5806948") or ("5981101") r ("6085854")).PN.) and (c ling r coolant or co led)	USPAT; US-PGPUB	2003/01/02 12:10

11	34436	429/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 12:23
12	527	429/100.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 12:38
13	200	429/100.ccls. and spring	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 12:44
14	380	429/97.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 12:47
49	88	429/97.ccls. and (slid\$4 with (interlock\$4 inter-lock\$4 lock\$4 engag\$4 snap\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:03
50	292	429/97.ccls. not (429/97.ccls. and (slid\$4 with (interlock\$4 inter-lock\$4 lock\$4 engag\$4 snap\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 13:03
65	1258	429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls/	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 13:04
66	1471	429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:54
67	59	(429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.) and (rough\$5 or uneven\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 13:07
68	523671	rough\$5 or uneven\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 13:07

69	3330	(rough\$5 or uneven\$3) and (batt ry batt ri s el ctr ch mical).ti.	USPAT; US-PGPUB; EP ; JPO; DERWENT; IBM_TDB	2003/01/02 13:08
70	499	(rough\$5 r un v n\$3) and ((battery batteries electrochemical) with (mount\$3 frame support holder case casing) with (rough\$5 or uneven\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 13:29
71	491	((rough\$5 or uneven\$3) and ((battery batteries electrochemical) with (mount\$3 frame support holder case casing) with (rough\$5 or uneven\$4))) not ((429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.) and (rough\$5 or uneven\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 13:11
72	72	((rough\$5 or uneven\$3) and ((battery batteries electrochemical) with (mount\$3 frame support holder case casing) with (rough\$5 or uneven\$4))) not ((429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.) and (rough\$5 or uneven\$3))) and (429/\$.ccls. h01m)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 13:26
73	1	1986-242100.NRAN.	DERWENT	2003/01/02 13:15
74	1	1986-296437.NRAN.	DERWENT	2003/01/02 13:15
75	50	(429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.) and (terminal\$1 with (electrode\$1 or (cathode\$1 and anode\$1)) with (engag\$4 lock\$4 interlock\$4 snap\$4 fit\$4 secur\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:25
76	3	(rough\$5 or uneven\$3) and ((battery batteries electrochemical) with (mount\$3 frame support holder case casing) with (grit\$4 abrad\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 13:42
77	31	(429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.) and ((heat or thermal) near2 (transfer exchange))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 13:47
78	7	(429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.) and (surface with ((heat or thermal) near2 (transfer exchange)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:01
79	2	5501918.pn.	USPAT; US-P PUB; EP ; JPO; DERWENT; IBM_TDB	2003/01/02 14:03

80	380	429/97.ccls.	USPAT; US-P PUB; EP ; JP ; DERWENT; IBM_TDB	2003/01/02 14:03
81	10545	h01m002/10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:04
82	338	h01m002/10 and (slid\$4 with (interlock\$4 inter-lock\$4 lock\$4 engag\$4 snap\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:05
83	9928	h01m002/10	EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:05
84	219	h01m002/10 and (slid\$4 with (interlock\$4 inter-lock\$4 lock\$4 engag\$4 snap\$4))	EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:08
85	1	1977-E4811Y.NRAN.	DERWENT	2003/01/02 14:06
86	2	(429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.) and (terminal\$1 near8 (spring\$1 clip\$1))	EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:09
87	177	(429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.) and (terminal\$1 near8 (spring\$1 clip\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:09
88	175	((429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.) and (terminal\$1 near8 (spring\$1 clip\$1))) not ((429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.) and (terminal\$1 near8 (spring\$1 clip\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:10
89	122	((429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.) and (terminal\$1 near8 (spring\$1 clip\$1))) not ((429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.) and (terminal\$1 near8 (spring\$1 clip\$1)))) and engag\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:14
90	5658	(terminal\$1 with (electrode\$1 or (cathode\$1 and anode\$1)) with (engag\$4 lock\$4 interlock\$4 snap\$4 fit\$4 secur\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:17
91	1837	gata-y\$.in.	USPAT; US-PGPUB; EP ; JPO; DERWENT; IBM_TDB	2003/01/02 14:17

92	2294	hamada-S\$.in.	USPAT; US-P PUB; EP ; JPO; DERWENT; IBM_TDB	2003/01/02 14:17
93	833	ik ma-m\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:21
94	4853	ogata-y\$.in. hamada-S\$.in. ikoma-m\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:21
95	10	(ogata-y\$.in. hamada-S\$.in. ikoma-m\$.in.) and ( (terminal\$1 with (electrode\$1 or (cathode\$1 and anode\$1)) with (engag\$4 lock\$4 interlock\$4 snap\$4 fit\$4 secur\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:23
96	4	((ogata-y\$.in. hamada-S\$.in. ikoma-m\$.in.) and ( (terminal\$1 with (electrode\$1 or (cathode\$1 and anode\$1)) with (engag\$4 lock\$4 interlock\$4 snap\$4 fit\$4 secur\$4)))) and 429/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:24
97	1	((ogata-y\$.in. hamada-S\$.in. ikoma-m\$.in.) and ( (terminal\$1 with (electrode\$1 or (cathode\$1 and anode\$1)) with (engag\$4 lock\$4 interlock\$4 snap\$4 fit\$4 secur\$4)))) and h01m	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:24
98	80	(ogata-y\$.in. hamada-S\$.in. ikoma-m\$.in.) and h01m	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:24
99	89	(ogata-y\$.in. hamada-S\$.in. ikoma-m\$.in.) and 429/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:24
100	169	((ogata-y\$.in. hamada-S\$.in. ikoma-m\$.in.) and h01m) ((ogata-y\$.in. hamada-S\$.in. ikoma-m\$.in.) and 429/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:24
101	48	((ogata-y\$.in. hamada-S\$.in. ikoma-m\$.in.) and h01m) ((ogata-y\$.in. hamada-S\$.in. ikoma-m\$.in.) and 429/\$.ccls.)) and ( ( ngag\$4 l ck\$4 int rlock\$4 snap\$4 fit\$4 secur\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:31

102	310258	fram .ti.	USPAT; US-P PUB; EP ; JP ; DERWENT; IBM_TDB	2003/01/02 14:31
103	2	(( gata-y\$.in. hamada-\$\$in. ikoma-m\$.in.) and h01m) ((ogata-y\$.in. hamada-\$\$in. ikoma-m\$.in.) and 429/\$.cccls.)) and frame.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:53
104	1	2002-033703.NRAN.	DERWENT	2003/01/02 14:32
105	24162	terminals near5 side	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:54
106	142	(429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.) and ((frame case holder casing support) near5 terminals)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:59
107	23	"4436792"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:59
108	12	(US-5736272-\$ or US-5534364-\$ or US-5140138-\$ or US-4186983-\$ or US-3967979-\$ or US-5075182-\$ or US-5304434-\$ or US-5567542-\$ or US-6162559-\$).did. or (JP-56168355-\$).did. or (JP-08164750-\$ or JP-09245752-\$).did.	USPAT; JPO; DERWENT	2003/01/02 15:05

<b>L Number</b>	<b>Hits</b>	<b>S arch T xt</b>	<b>DB</b>	<b>Tim stamp</b>
<b>1</b>	<b>1086</b>	<b>429/96.ccls. 429/99.ccls. 429/100.ccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2002/12/30 14:06</b>
<b>236</b>	<b>7</b>	<b>(429/96.ccls. 429/99.ccls. 429/100.ccls.) and ((electrode\$1 or terminal\$1) near4 (snap\$4))</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2002/12/30 14:08</b>
<b>275</b>	<b>102</b>	<b>(429/96.ccls. 429/99.ccls. 429/100.ccls.) and (terminal\$1 near5 (spring or clasp))</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2002/12/30 14:09</b>
<b>328</b>	<b>13</b>	<b>(US-3664877-\$ or US-4020244-\$ or US-4113926-\$ or US-4317497-\$ or US-4957829-\$ or US-5140744-\$ or US-5663008-\$ or US-5665486-\$ or US-5667908-\$ or US-5766801-\$ or US-5806948-\$ or US-5981101-\$ or US-6085854-\$).did.</b>	<b>USPAT</b>	<b>2002/12/30 15:25</b>
<b>329</b>	<b>8</b>	<b>(US-0890827-\$ or US-1201939-\$ or US-1485061-\$ or US-1486434-\$ or US-1606391-\$ or US-2939901-\$ or US-3110634-\$ or US-3623917-\$).did.</b>	<b>USOCR</b>	<b>2002/12/30 15:25</b>